

MEDIUM FRAME SERIES TRACTOR ATTACHMENT INTERCHANGEABILITY *

Description	Model	H11XL	G11XL	G11XL	H12XL	G12XL	H14XL	GT14	GT14
		1058 -01-02	1060 -01-02	1160 -01-02	1258 -01-02	1261 1400G 1463 -01	1458 -01-02 -03	1460 -01	1460 -02
Arm Rest Kit (1734870)	18106						(5)		X
Bagging Attachment • Pwr. Pkr. Plus (Req. Cart Collector or 2 Bag Hopper)	30917	X	X	X	X	X	X	X	X
• Cart Collector (Req. 30917) 17 Bushel	30921	X	X	X	X	X	X	X	X
• 2 Bag Hopper (Req. 30917) 6 Bushel	50922	X	X	X	X	X	X	X	X
Blade - 42" Mechanical Angle	18305-01							X	
	18305-02 & Later	X	X	X	X	X	X	X	X
Blade Angling Kit	19222	X	X	X	X	X	X	X	X
Cab - Soft Side (Original Cab Co.)(23)	19708	X	X	X	X	X	X	X	X
Hard Top	50930	X	X	X	X	X	X		
Cruise Control Kit (1739017)	18326-01	X			X		X		
(1746636)	18326-02-03	(20)			(20)		(20)		
Dump Cart - 7.5 cu. ft.	16466	X	X	X	X	X	X	X	X
10.0 cu. ft.	16465	X	X	X	X	X	X	X	X
Hitch - Rear Attachment Kit (18)	18340	X	X	X	X	X	X		
Sleeve Category (15) (19)	18330-01							X	X
(15)	18330-02	(19)	(19)	(19)	(19)	(19)	(19)		
(15)	18330-03	(13)	(13)	(13)	(13)	(13)	(13)		
Hour Meter Kit (1754550)	18096	X	X	X	X	X	X		X
Hub Caps - Chrome (1714144)	16999	X	X	X	X	X	X	X	X
Lift Kit - Electric	18325-01							X	
	18325-02							X	
	18325-03		X	X		X		(4)	(4)
Hydraulic (1734450)	18327	X			X				
Light Kit - Dual Tail (1734856)	18723				X	X	X	X	X
Head & Tail (1734616)	18724	X	X	X					
Mower - 42" Side Discharge	18300	X	X	X	X	X	X	X	X
42" Rear Discharge (17)	18335	X	X	X	X	X	X	X	X
48" Side Discharge	18301					(14)	X	X	X
	18338						X	X	X
48" Rear Discharge	18336					(21)	X	X	X
Mulching Attachment (F/42" Side Discharge Mowers)	34501	X	X	X	X	X	X	X	X
(F/48" Side Discharge Mowers)	34501					X	X	X	X
PTO Kit - (F/Tiller, Snowthrower)	18309-01							(1)	
	18309-02	(2)	(2)	(2)	(2)	(2)	X		X
	18309-04-05	(7)	(7)	(7)	(7)	(7)	(7)		
(9)	18318	(8)	(8)	(8)	X	X	(8)		
Snowthrower - 38" Single Stage (w/18309-01 PTO Kit) (Req. PTO Kit)	18311-01							X	
46" 2-Stage (Req. Mount Kit & PTO)	18311-02 & Later	X	X	X	X	X	X	(3)	X
Snowthrower Mounting Kit (F/50146)	50146					(14)	X		
	18346					(14)	X		
Snowthrower Shoe Kit(F/18311-03-04)	18314	X	X	X	X	X	X		X
Storage Cover	50914	X	X	X	X	X	X	X	X
String Trimmer - 12 Volt	6888	X	X	X	X	X	X	X	X
12 Volt	30904	X	X	X	X	X	X	X	X

11

Footnotes: Page 138

MEDIUM FRAME SERIES TRACTOR ATTACHMENT INTERCHANGEABILITY* (CONT'D)

Description	Model	H11XL	G11XL	G11XL	H12XL	G12XL	H14XL	GT14	GT14
		1058 -01-02	1060 -01-02	1160 -01-02	1258 -01-02	1261 -01-02 1400G 1463 -01	1458 -01-02 -03	1460 -01	1460 -02
Tiller - 25" Rotary (Req. Tiller Adapter) 33" Rotary (12)	18616 18315-01 18315-02	X	X	X	X	X	X	(16) X	(16) X
(Req. 18309-02/05 PTO & 18340 Hitch)	18315-03	(11)	(11)	(11)	(11)	(11)	(11)		
(Req. 18309-02/05 PTO) (13)	18315-04-05	(11)	(11)	(11)	(11)	(11)	(11)		
(Req. 18318 PTO Kit)	18322	(8)(10)	(8)(10)	(8)(10)	(8)(10)	(8)(10)	(8)(10)		
Tiller Ext. Kit (f/18315, 18322 Tiller) (6)	18320-01 18320-02-03	X	X	X	X	X	X	X	X
Tire Chains (1716190) (f/8-12)	16217	X	X						
(1721585) (f/23x10.50-12)	16219			X	X	X	X	X	X
Tire Kit - Ag. (23x8.50-12)	18841	X	X	X	X	X	X	X	X
Vac Attachment - Peco (Req. 18029)	50966	(22)	(22)	(22)	(22)	(22)	(22)	(22)	(22)
Weight Carrier (Req. 5 ea. 1319)	51951	X	X	X	X	X	X	X	X
Wheel Weights 35lbs. (ea) Front Cast Iron	21741	X	X	X	X	X	X	X	X
	18029	X	X	X	X	X	X	X	X
100lbs. Pr. Rear Plastic	16168	X	X	X	X	X	X	X	X
50lbs. Ea. Rear Cast Iron	16167	X	X	X	X	X	X	X	X
	30902	X	X	X	X	X	X	X	X

NR - Not recommended.

- 1 - Sold as part of tiller & snow caster. Use with any snow caster, 18315-01 tiller or any other tiller with 18315-01 driveshaft (1726891) (51-3/16").
- 2 - Req. relocate Pin in front bolster to higher position.
- 3 - Req. 18309 PTO originally sold with 18311-01 snow caster.
- 4 - Decal change required, order 1729314.
- 5 - Fits 1458-02 & 03 only.
- 6 - For use with 18315-01 tiller attachment. Clevis pin 1732053 & 1732481 hub assy. Replace parts 1706419 & 1729543 assy.
- 7 - 1058-02, 1060-02, 1463 & 1458-02, relocate upper pin to lower hole.
- 8 - Req. front bolster 1738561.
- 9 - 18315 tiller req. 1738559 driveshaft (50-1/16").

- 10 - 18309-02/05 can be used with 18322 if driveshaft 1733911 is ordered. (54-5/16").
- 11 - 18318 can be used with 18315 if driveshaft 1738559 is ordered.
- 12 - Includes 18309.
- 13 - Includes 18340 (1733854 & 1733855) hitch arms.
- 14 - Use with 1463 only.
- 15 - Use with 18908, 18910, 18911, 18923 & 18955.
- 16 - Extra holes in rear of frame required.
- 17 - 18335-02 requires 1726701 belt.
- 18 - Consisted of 1733854 & 1733755 hitch arm assemblies.
- 19 - Requires 18340 hitch kit.
- 20 - Requires brake pedal 1738449.
- 21 - Use 1739080 belt (78.8)1453 only.
- 22 - Purchase from Peco Co. 1-800-438-5823.
- 23 - Order all parts from Original Cab Co. (317) 663-2214.

*NOTE: Check for availability.

MEDIUM FRAME SERIES TRACTOR ATTACHMENT INTERCHANGEABILITY* (CONT'D)

Description	Model	G14XL	H16XL	H16XT	G16XL	G16XT	G16X1	H16X1	H18XII
		1461 -01-02	1658 -01-02	1659 -01 1600H 1668/HR 1668L 1669 1669L	1661 -01-02 03	1662 1600G 1667 1400G 1467 1468	1663 -01-02	1664 -01-02	1858 01-02
Bagging Attachment	14058	X	X	X	X	X	X	X	X
•Pwr. Pkr. Plus (Req. Cart Collector or Bag Hopper)	30917/R	X	X	X	X	X	X	X	X
•Cart Collector (Req. PowerPacker Plus)	14070	X	X	X	X	X	X	X	X
	30921/R	X	X	X	X	X	X	X	X
•2 Bag Hopper (Req. PowerPacker Plus)	14069	X	X	X	X	X	X	X	X
	50922/R	X	X	X	X	X	X	X	X
Blade - 42" Mechanical Angle	18305	X	X	X	X	X	X	X	X
Blade Angling Kit	19222	X	X	X	X	X	X	X	X
Cab - Soft Side (Original Cab Co.)(17)	14075	X	X	X	X	X	X	X	X
Hard Top	50930	X	X	X	X	X	X	X	X
Cruise Control Kit (1739017)	18326-01		X	X				X	X
(1746636)	18326-02-03		(15)	(15)					(15)
Dump Cart - 10.0cu. ft.	14076 } 14095 } (18)	X X	X X	X X	X X	X X	X X	X X	X X
Hitch - Rear Attachment Kit (2)	18340	X	X	X	X	X	X	X	X
Sleeve Category (16)	18330-02	X	X	X	X	X	X	X	X
(14)	18330/R	X	X	X	X	X	X	X	X
Hour Meter Kit (1754550)	18096	X	X	X	X	X	X	X	X
Hub Caps - Chrome (1714144)	16999	X	X	X	X	X	X	X	X
Lift Kit - Electric	18325-02	X			X		X		
	18325-03	X			X	X	X		
Hydraulic (1734450)	18327			X				X	
Light Kit - Dual Tail (1734856)	18723	X	X	X	X	X	X	X	X
Mower - 42" Side Discharge	14023	(9)	(9)	(6)	(9)	(6)	(9)	(9)	(9)
	18300	(9)	(9)	(6)	(9)	(6)	(9)	(9)	(9)
42" Rear Discharge	14031	(9)	(9)	(6)	(9)	(6)	(9)	(9)	(9)
	18335	(9)	(9)	(6)	(9)	(6)	(9)	(9)	(9)
48" Side Discharge	14024	(10)	(10)	(7)	(10)	(7)	(10)	(10)	(10)
	18301/R	(10)	(10)	(7)	(10)	(7)	(10)	(10)	(10)
	18338	(9)	(9)	(6)	(9)	(6)	(9)	(9)	(9)
48" Rear Discharge	18336	(10)	(10)	(7)	(10)	(7)	(10)	(10)	(10)
Mulching Attachment (f/42" & 48" Side Discharge Mowers)	14011	X	X	X	X	X	X	X	X
	14032	X	X	X	X	X	X	X	X
	34501	X	X	X	X	X	X	X	X
PTO Kit - (f/Tiller, Snowthrower)	18309-02	(11)	(11)	(8)	(11)	(8)	(11)	(11)	(11)
	18309-03/05	(3)(11)	(3)(11)	(8)	(3)(11)	(8)	(3)(11)	(3)(11)	(3)(11)
(5)(13)	18318/R	(4)(11)	(4)(11)	(8)	(4)(11)	(8)	(4)(11)	(4)(11)	(4)(11)
Snowthrower - 38" Single Stage (Req. 18309-02/04 PTO Kit)	18311/R	X	X	X	X	X	X	X	X
46" 2-Stage (Req. PTO Kit & 18346 Mounting Kit)	50146	X	X	X	X	X	X	X	X
Snowthrower Mounting Kit (f/2 Stage)	18346	X	X	X	X	X	X	X	X
Snowthrower Shoe Kit(f/18311-03-04)	18314	X	X	X	X	X	X	X	X
Storage Cover	14077								
	50914	X	X	X	X	X	X	X	X
String Trimmer - 12 Volt	6888	X	X	X	X	X	X	X	X
12 Volt	30904	X	X	X	X	X	X	X	X

Footnotes: Page 140

MEDIUM FRAME SERIES TRACTOR ATTACHMENT INTERCHANGEABILITY* (CONT'D)

Description	Model	G14XL	H16XL	H16XT	G16XL	G16XT	G16X1	H16X1	H18XL
		1461 -01-02	1658 -01-02	1659 -01 1600H 1668/HR 1668L 1669 1669L	1661 -01-02	1662 1600G 1667 1400G 1467 1468	1663 -01-02	1664 -01-02	1858 01-02
Tiller - 33" Rotary (Req. PTO & Hitch)	18315-03		X	X		X		X	X
(Req. 18309-02/05 PTO)	18315-04-05	X	X	X	X	X	X	X	X
(Req. 18318 PTO Kit)	18322/R	(4)	(4)	X	(4)	X	X	X	X
Tiller Ext. Kit	18320-02-03	X	X	X	X	X	X	X	X
Tire Chains (1721585)	16219	X	X	X	X	X	X	X	X
(f/23x10.50-12)									
(1716190)	16217	X	X	X	X	X	X	X	X
(f/23x8.50-12)									
Tire Kit - Ag. (23x8.50-12)	18841	X	X	X	X	X	X	X	X
Vac Attachment - Peco (Req. 18029 Front Wheel Weights)	50966	X	X	X	X	X	X	X	X
Weight Carrier (Req. 5 ea. 1319 Weights)	51951	X	X	X	X	X	X	X	X
Wheel Weights - 70 lbs. Front Cast Iron	18029	X	X	X	X	X	X	X	X
	14091								
35 lbs. (ea) Front Cast Iron	21741	X	X	X	X	X	X	X	X
50 lbs. (ea) Rear Cast Iron	14090	X	X	X	X	X	X	X	X
	16167	X	X	X	X	X	X	X	X
	30902	X	X	X	X	X	X	X	X
100 lbs. (pr) Rear Plastic	16168	X	X	X	X	X	X	X	X

*NOTE: Check for availability.

- 1 - Req. relocate pin in front bolster to higher position.
- 2 - Consists of 1733854 & 1733855 hitch arms.
- 3 - 1461-01, 1658-02, 1661-01, 1667, 1668 & 1662 - Relocate upper pin to lower hole.
- 4 - Requires front bolster 1738561.
- 5 - 18315 Tiller req. (50-1/16") Driveshaft.
- 6 - Use 1741576 belt (81.38").
- 7 - Use 1741577 belt (83.25").
- 8 - Use 1741578 belt (42.38).
- 9 - Use 1726701 V-Belt (77.00).

- 10 - Use 1739080 V-Belt (78.86).
- 11 - Use 1742385 V-Belt (38.31).
- 12 - 18309-02/05 can be used with 18322 if driveshaft 1733911 (54-5/16") is ordered.
- 13 - 18318 can be used with 18315 and driveshaft 1738559.
- 14 - Includes 18340 with hitch arm 1733854 & 1733755.
- 15 - Requires brake pedal 1738449.
- 16 - Requires 18340 Hitch Kit.
- 17 - Order all parts from Original Cab Co. (317)663-2214 .
- 18 - World Cup Graphics